

# Safety data sheet

Page: 1/16

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## **GLYSANTIN® G48® blue-green**

UFI: HQ9D-F0H2-500F-TM5T

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: engine coolant

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Fuel and Lubricant Solutions

Telephone: +49 621 60-42178

E-mail address: RegXcellenceFuelLubes@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

|                     |  |
|---------------------|--|
| Acute Tox. 4 (oral) | H302 Harmful if swallowed.   |
| Repr. 1B            | H360F May damage fertility.  |
| Repr. 1B            | H360D May damage the unborn child.   |
| STOT RE 2           | H373 May cause damage to organs (Kidney) through prolonged or repeated exposure. |

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

### Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

|        |   |
|--------|---|
| H302   | Harmful if swallowed.   |
| H360FD | May damage fertility. May damage the unborn child.                          |
| H373   | May cause damage to organs (Kidney) through prolonged or repeated exposure. |

Precautionary Statements (Prevention):

|      |  |
|------|--|
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P260 | Do not breathe dust/gas/mist/vapours.  |
| P201 | Obtain special instructions before use.  |

Precautionary Statements (Response):

|             |   |
|-------------|---|
| P308 + P313 | IF exposed or concerned: Get medical attention. |
|-------------|---|

Precautionary Statements (Storage):

|      |                  |
|------|------------------|
| P405 | Store locked up. |
|------|------------------|

Precautionary Statements (Disposal):

|      |   |
|------|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |
|------|---|

Labeling of special preparations (GHS):

Restricted to professional users.

Hazard determining component(s) for labelling: ethanediol, disodium tetraborate, anhydrous

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

## 2.3. Other hazards

No specific dangers known, if the regulations/notes for storage and handling are considered. The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

#### Chemical nature

ethanediol

inhibitors

This product contains (a) substance(s) included on the candidate list according to article 59 (1,10) of regulation EC No. 1907/2006 ('REACH') in a concentration equal or above 0.1% w/w:  
disodium tetraborate, anhydrous

#### Hazardous ingredients (GHS)

| ethanediol

|   |                     |
|---|---------------------|
| Content (W/W): >= 75 % - <= 100 %           | Acute Tox. 4 (oral) |
| CAS Number: 107-21-1                        | STOT RE (Kidney) 2  |
| EC-Number: 203-473-3                        | H302, H373          |
| REACH registration number: 01-2119456816-28 |                     |
| INDEX-Number: 603-027-00-1                  |                     |

Disodium sebacate

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

|   |                   |
|---|-------------------|
| Content (W/W): $\geq 1\%$ - $< 3\%$         | Eye Dam./Irrit. 2 |
| CAS Number: 17265-14-4                      | H319              |
| EC-Number: 241-300-3                        |                   |
| REACH registration number: 01-2120762063-61 |                   |

**| Sodium 2-ethylhexanoate**

|                                     |                        |
|-------------------------------------|------------------------|
| Content (W/W): $\geq 1\%$ - $< 3\%$ | Repr. 2 (unborn child) |
| CAS Number: 19766-89-3              | H361d                  |
| EC-Number: 243-283-8                |                        |

## disodium tetraborate, anhydrous

|   |                         |
|---|-------------------------|
| Content (W/W): $\geq 0.3\%$ - $< 1\%$       | Eye Dam./Irrit. 2       |
| CAS Number: 1330-43-4                       | Repr. 1B (fertility)    |
| EC-Number: 215-540-4                        | Repr. 1B (unborn child) |
| REACH registration number: 01-2119490790-32 | H319, H360FD            |
| INDEX-Number: 005-011-00-4                  |                         |

Included on the candidate list according to article 59 (1,10) of regulation EC No. 1907/2006 ('REACH').

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

---

## SECTION 4: First-Aid Measures

**4.1. Description of first aid measures**

Immediately remove contaminated clothing. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). First aid personnel should pay attention to their own safety.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Administer 50 ml of pure ethanol in a drinkable concentration.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, foam

### **5.2. Special hazards arising from the substance or mixture**

Endangering substances: harmful vapours  
Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### **5.3. Advice for fire-fighters**

Special protective equipment:  
Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## **SECTION 6: Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Breathing protection required.

### **6.2. Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

### **6.3. Methods and material for containment and cleaning up**

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

### **6.4. Reference to other sections**

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Shut containers immediately after taking product because product takes up the humidity of air.

Protection against fire and explosion:

Take precautionary measures against static discharges.

### 7.2. Conditions for safe storage, including any incompatibilities

Unsuitable materials for containers: Galvanized carbon steel (Zinc), Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Storage in galvanized containers is not recommended.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Components with occupational exposure limits

107-21-1: ethanediol

Skin Designation (OEL (EU))

The substance can be absorbed through the skin.

STEL value 104 mg/m<sup>3</sup> ; 40 ppm (OEL (EU))

indicative

TWA value 52 mg/m<sup>3</sup> ; 20 ppm (OEL (EU))

indicative

1330-43-4: disodium tetraborate, anhydrous

#### PNEC

No hazard identified.

#### DNEL

Data refer to the lead substance

#### Components with DNEL

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

107-21-1: ethanediol

worker: Long-term exposure - local effects, Inhalation: 35 mg/m<sup>3</sup>

worker: Long-term exposure- systemic effects, dermal: 106 mg/kg

consumer: Long-term exposure - local effects, Inhalation: 7 mg/m<sup>3</sup>

consumer: Long-term exposure- systemic effects, dermal: 53 mg/kg

## 8.2. Exposure controls

### Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding &gt; 30 minutes of permeation time according to EN ISO 374-1)

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

chemical-protection suit (f.e. according to EN 14605)

### General safety and hygiene measures

Wearing of closed work clothing is required additionally to the stated personal protection equipment.

No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

|                  |                  |
|------------------|------------------|
| Form:            | liquid           |
| Colour:          | blue-green       |
| Odour:           | product specific |
| Odour threshold: |                  |
|                  | not determined   |
| pH value:        | 7.1 - 7.3        |

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

|   |   |                            |
|---|---|----------------------------|
| solidification temperature:                         | < -18 °C  | (DIN ISO 3016)             |
| Boiling point:                                      | >= 165 °C   | (ASTM D1120)               |
| Flash point:  | > 126.5 °C  | (ISO 2719)                 |
| Evaporation rate:                                   | not determined  |                            |
| Flammability:                                       | hardly combustible  | (derived from flash point) |
| Lower explosion limit:                              | For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point. |                            |
| Upper explosion limit:                              | For liquids not relevant for classification and labelling.  |                            |
| Ignition temperature:                               | > 440 °C  | (DIN 51794)                |
| Vapour pressure:                                    | 0.2 hPa<br>(20 °C)  |                            |
| Density:  | 1.122 g/cm <sup>3</sup><br>(20 °C)  | (DIN 51757)                |
| Solubility in water:                                | soluble, The product has not been tested. The statement has been derived from the properties of the individual components.    |                            |
| Solubility (qualitative) solvent(s):                | polar solvents<br>soluble   |                            |
| Partitioning coefficient n-octanol/water (log Kow): | Study scientifically not justified.   |                            |
| Self ignition:                                      | not self-igniting   |                            |
| Thermal decomposition:                              | No decomposition if correctly stored and handled.   |                            |
| Viscosity, kinematic:                               | 20 - 30 mm <sup>2</sup> /s<br>(20 °C)   | (DIN 51562)                |
| Explosion hazard:                                   | not explosive   |                            |
| Fire promoting properties:                          | not fire-propagating  |                            |

## 9.2. Other information

Miscibility with water:

miscible in all proportions

Hygroscopy:

hygroscopic

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

Corrosion to metals: No corrosive effect on metal.

### **10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **10.3. Possibility of hazardous reactions**

No hazardous reactions when stored and handled according to instructions.

### **10.4. Conditions to avoid**

No conditions to avoid anticipated.

### **10.5. Incompatible materials**

Substances to avoid:  
strong oxidizing agents

### **10.6. Hazardous decomposition products**

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## **SECTION 11: Toxicological Information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### Acute toxicity

Assessment of acute toxicity:  
Of moderate toxicity after single ingestion.

*Information on: ethanediol*

*Experimental/calculated data:*

**| LD (human) human (oral): approx. 1,600 mg/kg**

#### Irritation

Assessment of irritating effects:  
Not irritating to eyes and skin.

#### Respiratory/Skin sensitization

Assessment of sensitization:  
Skin sensitizing effects were not observed in animal studies. Human data do not fully exclude a skin sensitizing potential.

#### Germ cell mutagenicity

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

#### Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

#### Carcinogenicity

##### Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

##### Assessment of reproduction toxicity:

Contains a component that causes reproductive toxicity in test animals.

*Information on: disodium tetraborate, anhydrous*

*Assessment of reproduction toxicity:*

*Causes impairment of fertility in laboratory animals.*

-----

#### Developmental toxicity

##### Assessment of teratogenicity:

Contains a component that causes teratogenicity in test animals.

*Information on: ethanediol*

*Assessment of teratogenicity:*

*Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted.*

*Information on: Sodium 2-ethylhexanoate*

*Assessment of teratogenicity:*

*Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: disodium tetraborate, anhydrous*

*Assessment of teratogenicity:*

*The substance caused malformations/developmental toxicity in laboratory animals.*

-----

#### Specific target organ toxicity (single exposure)

Remarks: Based on available data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

*Information on: ethanediol*

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

*Assessment of repeated dose toxicity:*

*The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.*

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

## 11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

---

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Microorganisms/Effect on activated sludge:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

### 12.2. Persistence and degradability

Elimination information:

> 70 % DOC reduction (28 d) (OECD 301 A (new version)) Readily biodegradable.

### 12.3. Bioaccumulative potential

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

Bioaccumulation potential:  
Accumulation in organisms is not to be expected.

#### **12.4. Mobility in soil**

Assessment transport between environmental compartments:  
Volatility: The substance will not evaporate into the atmosphere from the water surface.  
Adsorption in soil: Adsorption to solid soil phase is not expected.

#### **12.5. Results of PBT and vPvB assessment**

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### **12.6. Endocrine disrupting properties**

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **12.7. Other adverse effects**

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### **12.8. Additional information**

Adsorbable organically-bound halogen (AOX):  
This product contains no organically-bound halogen.

Other ecotoxicological advice:  
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Do not release untreated into natural waters.

---

## **SECTION 13: Disposal Considerations**

### **13.1. Waste treatment methods**

Must be disposed of or incinerated in accordance with local regulations.

Waste key:  
16 01 14<sup>□</sup> antifreeze fluids containing hazardous substances

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

## SECTION 14: Transport Information

### Land transport

ADR

|                              |  |
|------------------------------|--|
|                              | Not classified as a dangerous good under transport regulations |
| UN number or ID number:      | Not applicable   |
| UN proper shipping name:     | Not applicable   |
| Transport hazard class(es):  | Not applicable   |
| Packing group:               | Not applicable   |
| Environmental hazards:       | Not applicable   |
| Special precautions for user | None known   |

RID

|                              |  |
|------------------------------|--|
|                              | Not classified as a dangerous good under transport regulations |
| UN number or ID number:      | Not applicable   |
| UN proper shipping name:     | Not applicable   |
| Transport hazard class(es):  | Not applicable   |
| Packing group:               | Not applicable   |
| Environmental hazards:       | Not applicable   |
| Special precautions for user | None known   |

### Inland waterway transport

ADN

|                               |  |
|-------------------------------|--|
|                               | Not classified as a dangerous good under transport regulations |
| UN number or ID number:       | Not applicable   |
| UN proper shipping name:      | Not applicable   |
| Transport hazard class(es):   | Not applicable   |
| Packing group:                | Not applicable   |
| Environmental hazards:        | Not applicable   |
| Special precautions for user: | None known   |

### Transport in inland waterway vessel

|                          |  |
|--------------------------|--|
|                          | Not classified as a dangerous good under transport regulations |
| UN number or ID number:  | Not applicable   |
| UN proper shipping name: | Not applicable   |

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

### Sea transport

#### IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

### Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

#### **14.1. UN number or ID number**

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

### SECTION 15: Regulatory Information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 28, 30, 75, 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2. Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

### SECTION 16: Other Information

#### Assessment of the hazard classes according to UN GHS criteria (most recent version)

Acute Tox. 4 (oral)

Repr. 1B (fertility)

Repr. 1B (unborn child)

STOT RE (Kidney) 2

#### Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.

Acute toxicity

Repr.

Reproductive toxicity

STOT RE

Specific target organ toxicity — repeated exposure

Eye Dam./Irrit.

Serious eye damage/eye irritation

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 21.06.2022

Version: 7.0

Date previous version: 24.10.2019

Previous version: 6.2

Date / First version: 08.01.2003

Product: **GLYSANTIN® G48® blue-green**

(ID no. 30052793/SDS\_GEN\_EU/EN)

Date of print 22.06.2022

|        |   |
|--------|---|
| H302   | Harmful if swallowed.   |
| H360FD | May damage fertility. May damage the unborn child.                          |
| H373   | May cause damage to organs (Kidney) through prolonged or repeated exposure. |
| H319   | Causes serious eye irritation.  |
| H361d  | Suspected of damaging the unborn child.                                     |

### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.